

PRIMARY PLAT AND OVERALL DEVELOPMENT PLAN


FOR


MULE BARN ROAD COMMERCIAL PUD WESTFIELD, INDIANA






















ZONING MAP

INDEX	
DESCRIPTION	SHEET No.
TITLE SHEET	C001
EXISTING TOPOGRAPHY PLAN	C100
PRIMARY PLAT	C200
DEVELOPMENT PLAN	C300
LANDSCAPE PLAN	L100

ADJACENT PROPERTY OWNERS AND PARCEL NUMBER					
PARCEL NUMBER	OWNER				
08-05-29-00-00-023.001	WARD, CHRIS G				
08-05-31-00-00-007.000	MARILYN A ROBERTS, JANET D ROBERTS, & R MARCUS & DEBBIE R WILEY H&W				
08-05-29-00-00-025.000	HJW HOLDINGS VI LLC				
08-05-29-00-00-023.000	HJW HOLDINGS VI LLC				
08-05-31-00-00-008.000	MARILYN A ROBERTS, JANET D ROBERTS, & R MARCUS & DEBBIE R WILEY H&W				
08-05-31-00-00-006.000	MAULDEN, RICK & KAREN				
08-05-29-00-00-024.000	YOUNGER, JAMES P & JUDITH				
08-05-29-00-00-023.102	YOUNGER, JAMES P & JUDITH				
08-05-31-00-00-012.001	SHELBY GRAVEL INC				
08-05-32-00-00-008.005	MATNEY, KERRY L REV TRUST & DEBRA K MATNEY REV TRUST				
08-05-29-00-00-023.002	WEAVER, ANDREW L & KRISTEN M				
08-05-29-00-00-025.001	HRKK LLC				
08-05-32-00-00-007.001	WHITE, GILLIAN L REV TRUST				
08-05-31-00-00-010.001	WOOD FARMS LLC				
08-05-31-00-00-006.002	MELLENCAMP, ADAM & LAUREN H&W				
08-05-32-00-00-007.000	FRIDDLE, JARED K & RHIANNON J H&W				
08-05-32-00-00-008.002	DRIVER, CHARLES E & ANDREA				
08-05-32-00-00-005.000	PARKS, CLEO I TRUST				
08-05-32-00-00-006.001	ROBERTS, JOHNNY E				
08-05-30-00-00-010.000	GEORGE, ROBERT EUGENE I TRUSTEE OF ROBERT EUGENE GEORGE I TRUST				
08-05-32-00-00-003.000	HJW HOLDINGS V LLC				
08-05-32-00-00-009.000	TOLERSON, TERRI A				
08-05-32-00-00-005.001	TOLERSON, TERRI A				
08-05-32-00-00-023.000	HJW HOLDINGS V LLC				
08-05-32-00-00-008.004	SENERIUS, GREGORY N & REGINA C				
08-05-32-00-00-008.003	DIETZ, AARON K & KRISTI				
08-05-31-00-00-012.000	INDIANA FARM BUREAU CO-OPERATION				
08-05-31-00-00-011.000	ARSZMAN, MICHELLE				
08-05-31-00-00-013.002	LANCASTER, KENT				

OWNER

GENERAL NOTES:

18519 MULE BARN ROAD WESTFIELD, IN 46074

!! CAUTION !!

THE LOCATIONS OF ALL EXISTING UNDERGROUND UTILITIES SHOWN ON THIS PLAN ARE BASED UPON ABOVE GROUND EVIDENCE (including, but not limited to, manholes, inlets, valves, and marks made upon the ground by others) AND ARE SPECULATIVE IN NATURE. THERE MAY

ALSO BE OTHER EXISTING UNDERGROUND UTILITIES FOR WHICH THERE IS NO ABOVE GROUND EVIDENCE OR FOR WHICH NO ABOVE GROUND EVIDENCE WAS OBSERVED. THE EXACT LOCATIONS OF SAID EXISTING

UNDERGROUND UTILITIES SHALL BE VERIFIED BY THE CONTRACTOR

CALL TOLL FREE "811" OR 1-800-382-5544 INDIANA UNDERGROUND —


PRIOR TO ANY AND ALL CONSTRUCTION.



TEL 317.547.5580 | FAX 317.543.0270

MULE BARN ROAD COMMERICIAL PUD

18404 Mule Barn Road Westfield, Indiana



ISSUANCE INDEX 07/23/2021 PROJECT PHASE: ISSUE FOR PERMIT

	REVISION SCHEDULE				
OWNER		DESCRIPTION	NC	DATE	
BRADLEY E. ROBERTS AND JARED W. ROBERTS 8519 MULE BARN ROAD VESTFIELD, IN 46074					
ENERAL NOTES:					
. CONTRACTOR SHALL PROTECT AND NOT DESTROY THE PROPERTY CORNER MONUMENTS DURING CONSTRUCTION.					
CONTRACTOR TO VERIFY LOCATION, SIZE AND DEPTH OF EXISTING UTILITIES PRIOR TO COMMENCING ANY					
CONSTRUCTION. CONTACT ENGINEER IF VARIATION EXISTS. 5. SEE SHEET COO2 GENERAL NOTES FOR MORE					
INFORMATION.	Project Number		2020.01414		

TITLE SHEET

C001


SOILS MAP NOT TO SCALE


Brookston silty clay loam, 0 to 2 percent slopes Crosby silt loam, 0 to 2 percent slopes


Miami silt loam, 2 to 6 percent slopes, eroded Patton silty clay loam, 0 to 2 percent slopes


National Flood Hazard Layer FIRMette

NOT TO SCALE









PLANTING PROCEDURE

1. EXCAVATE ROOTBALL PIT

2. ADD EXCAVATED SOIL & TAMP. SET TREE SUCH THAT TOP OF ROOTBALL IS 2-3" HIGHER THAN FINISH GRADE. 3. REMOVE ALL TWINE, ROPE, WIRE BASKET, AND BURLAP

FROM TOP 1/3 OF ROOTBALL & EXPOSE ROOT FLARE.

SCALE: 1/2"=1'-0"

4. BACKFILL WITH SOIL MIX & "WATER IN" 5. COMPLETE BACKFILLING, CONSTRUCT SAUCER, SPADE-EDGE & ADD MULCH 6. STAKE & GUY SECURELY (AS REQUIRED)

02 TREE PLANTING DETAIL

MULCH PER PLAN NOTE: SPADE EDGE DETAIL (SEE GENERAL NOTES) SHALL BE USED AT ALL LAWN EDGES & AT EDGES OF MULCHED AREAS (FOR - VERTICAL EDGE CONTAINMENT) EXISTING GRADE OR GRADE OF PLANTING AREA SPADE EDGE SHALL CREATE A **CLEAN SEPARATION BETWEEN** AREAS; AND SHALL CREATE SMOOTH & EVEN LINES (AS INDICATED ON THE PLANS)

PLANTING OR MULCHED AREA

LAWN AREA


SPADE EDGE DETAIL

SCALE: 3"=1'-0"

PLANT SCHEDULE

TREES AC PA PS PO TC TS	QTY 20 43 52 7 10 11	BOTANICAL / COMMON NAME Abies concolor / White Fir Picea abies / Norway Spruce Pinus strobus / White Pine Platanus occidentalis / American Sycamore Tilia cordata / Littleleaf Linden Tsuga canadensis / Canadian Hemlock	CONT B&B B&B B&B B&B B&B B&B	CAL 6` Ht. 6` Height 6` Ht. 2" Cal. 2" Cal. 6` Height	SIZE As Shown
ORNAMENTALS	QTY	BOTANICAL / COMMON NAME Amelanchier laevis 'Cumulus' / Cumulus Allegheny Serviceberry Malus x 'Prairifire' / Prairifire Crabapple	CONT	CAL	SIZE
AL	4		B&B	6` Ht.	As Shown
MP	2		B&B	2" Cal.	As Shown

CONCEPT PLANT SCHEDULE



LAWN SEED - SUN AND PARTIAL SHADE MIX 209,024 sf Seed mixes to be include hybrid varieties that are drought tolerant and winter hardy. See general notes for additional lawn seed information and installation requirements.

Festuca arundinacea / Tall Fescue Poa pratensis / Kentucky Bluegrass 167,219 sf 41,805 sf

GENERAL NOTES:

- CONTRACTOR TO VERIFY ALL UTILITY LOCATIONS IN THE FIELD PRIOR TO BEGINNING WORK. CONTRACTOR IS RESPONSIBLE FOR ANY DAMAGE TO UTILITIES ASSOCIATED WITH WORK. UTILITIES SHALL BE REPAIRED TO SATISFACTION OF THE UTILITY OWNER AND/OR OPERATING AUTHORITY AT NO ADDITIONAL COST.
- A MINIMUM OF 4" OF TOPSOIL ($\frac{2}{3}$ TOPSOIL, $\frac{1}{3}$ MULCH AND SOIL CONDITIONER) SHALL BE PLACED ON ALL AREAS TO BE SEEDED, SODDED AND PLANTED. PLANTING SOIL MIX SHALL BE FREE FROM SUBSOIL, VEGETATION, WEEDS OR ANY EXTRANEOUS OR DELETERIOUS MATERIALS LARGER THAN 1". REMOVE ANY UNSUITABLE AND EXCESS TOPSOIL. AS DETERMINED BY SOILS ENGINEER, FROM THE SITE. FURNISH ANY ADDITIONAL TOPSOIL NEEDED AT NO ADDITIONAL COST. ADDED TOPSOIL SHALL BE INCORPORATED INTO EXISTING SOIL.
- IN CASE OF DISCREPANCIES BETWEEN THE PLAN AND THE PLANT LIST, THE PLAN SHALL DICTATE. IF IN QUESTION, CONTACT THE LANDSCAPE
- ALL PLANTING BEDS SHALL HAVE A 3" THICK LAYER OF SHREDDED HARDWOOD BARK MULCH. NO UTILITY MULCH OR PROCESSED TREE TRIMMINGS WILL BE ALLOWED. ALL PLANTING BEDS SHALL HAVE PRE-EMERGENT HERBICIDE APPLIED AS PER MANUFACTURER'S RECOMMENDATION, AFTER INSTALLATION IS COMPLETE.
- FINAL PLACEMENT OF PLANT MATERIALS, ETC. SHALL BE APPROVED BY LANDSCAPE ARCHITECT BEFORE PLANTING OPERATIONS ARE TO PROCEED. ALL TREE LOCATIONS SHALL BE MARKED WITH A WOODEN STAKE INDICATING VARIETY AND SIZE OF TREE.
- NO SUBSTITUTIONS OF PLANT MATERIAL WILL BE ALLOWED. IF PLANTS ARE SHOWN TO BE UNAVAILABLE, THE CONTRACTOR SHALL NOTIFY LANDSCAPE ARCHITECT PRIOR TO BID DATE IN WRITING, ALL PLANTS SHALL BE INSPECTED AND TAGGED WITH PROJECT IDENTIFICATION AT NURSERY OR CONTRACTOR'S OPERATION PRIOR TO MOVING TO JOB SITE. PLANTS MAY ALSO BE INSPECTED AND APPROVED OR REJECTED ON THE JOB SITE.
- ALL PLANTS ARE TO MEET OR EXCEED AMERICAN STANDARDS FOR NURSERY STOCK, CURRENT EDITION, AS SET FORTH BY AMERICAN ASSOCIATION OF NURSERYMEN.
- ALL TWINE, ROPE, BURLAP, AND WIRE BASKETS SHALL BE REMOVED FROM TOP ONE-THIRD OF TREES PRIOR TO COMPLETION OF INSTALLATION. IN ADDITION, ALL EXCESS SOIL SHALL BE REMOVED FROM THE TOP OF ALL ROOTBALLS TO EXPOSE ROOT FLARE.
- 9. PLANTS AND ALL OTHER MATERIALS TO BE STORED ON SITE WILL BE PLACED WHERE THEY WILL NOT CONFLICT WITH CONSTRUCTION AND AS DIRECTED BY OWNER.
- 10. ALL NEW LANDSCAPE PLANTINGS SHALL BE GUARANTEED FOR A PERIOD OF ONE YEAR FOLLOWING FINAL INSPECTION BY LANDSCAPE ARCHITECT. AT END OF THIS PERIOD, PLANT MATERIAL TERMED DEAD OR UNSATISFACTORY BY LANDSCAPE ARCHITECT SHALL BE REPLACED AT NO ADDITIONAL CHARGE BY THE LANDSCAPE CONTRACTOR.
- 11. ALL DISTURBED LAWN AREAS SHALL BE HYDRO-SEEDED OR SODDED AS SHOWN PER THE LANDSCAPE AND EROSION CONTROL PLANS.
- 12. LAWN AND SOD AREAS ARE TO BE GRADED UNIFORMLY WITHOUT ANY UNDULATIONS OR IRREGULARITIES IN THE SURFACE PRIOR TO ANY HYDRO-SEED OR SOD WORK.
- 13. ALL LAWN IS TO BE A BLEND PER THE PLANT SCHEDULE. HYDRO-SEED AREAS ARE TO HAVE 0% NOXIOUS WEED AND FREE OF DISEASE.
- 14. PROTECT LAWN SEEDED AREAS WITH STRAW MULCH. SPREAD MULCH UNIFORMLY AT A MINIMUM RATE OF 2 TONS PER ACRE TO FORM A CONTINUOUS BLANKET 1 ½ INCHES IN LOOSE THICKNESS OVER SEEDED


SCALE: 1"=50'



CITY OF WESTFIELD NOTES

- . ALL STREET TREES ARE TO MATCH THE CURRENT CITY OF WESTFIELD MASTER TREE LIST
- 2. STREET TREES SHALL NOT BE WITHIN FOUR (4) FEET OF ANY PAVEMENT
- 3. THERE SHALL BE NO TREES WITHIN TEN (10) FEET OF ANY STORM SEWER, INCLUDING SSD

LANDSCAPE LEGEND





SHRUBS AND ORNAMENTAL GRASSES

MULCH BED/ TREE RING (DOUBLE-SHREDDED HARDWOOD BARK MULCH)



SPADE EDGE, SEE DETAIL ON SHEET C710

** NOTE: FOR FULL PLANT & TURF SCHEDULE, SEE SHEET C710**





9025 River Road, Suite 200 | Indianapolis, Indiana 46240

STRUCTUREPOINT

MULE BARN ROAD COMMERCIAL PUD

Mule Barn Road Westfield, Indiana





ISSUANCE INDEX DATE:

07/02/21 PROJECT PHASE: ISSUE FOR PERMIT

REVISION SCHEDULE NO. DESCRIPTION DATE

2020.01414

Project Number

LANDSCAPE PLAN

L100